Air Force Civil Engineer Center



Pease RAB Meeting

7 March 2019



Agenda



- Welcome and Introduction Carri Hulet (Consensus Building Institute)
 - Approve summary from October 2018 RAB meeting
 - Membership Update
 - Discussion & decision on minor revision of RAB Operating Procedures
- Air Force Cleanup Update Roger Walton (AFCEC)
 - AIMS site and other key project updates since the last meeting
- Non-target Analysis Project Overview Andrea Amico (RAB member)
 - Overview of Testing for Pease Non-Target Analysis project
- Portsmouth Water Treatment Brian Goetz (City of Portsmouth)
 - Brief update on water treatment activities
- Supplemental Site Inspection Results TBD (Wood E&IS)
 - Presentation of results from supplemental site inspection (SSI) of shellfish, groundwater, etc.
 - Discussion
- Open Discussion Time
 - Opportunity for RAB members to discuss additional topics.
- Public Comments
 - Members of the general public may request up to 3 minutes to speak.
- Meeting recap, upcoming meeting date Carri Hulet
- Adjourn



RAB Member Administrative Items




- Approve summary from October 2018 RAB meeting
- Membership Update
- Discussion & decision on minor revisions of the RAB Operating Procedures
- Discuss process questions raised by RAB members



Pease Sites Map







Air Force Clean Up Update



Roger Walton

Air Force Civil Engineer Center



Activities Since Oct 2018



PFOS/PFOA Supplemental Site Investigation

- Shellfish Sampling (Nov-Dec)
- Surface Water/Groundwater Sampling (Dec)

• Site 8 IMS

- Operations continue; first two quarterly reports (Apr Dec 18) to be merged; draft to
 AF this week
- Testing for Pease collected samples for non-target analysis on 6 Dec 18

Airfield IMS

- Construction nearing completion
- Initial operations to begin 1 April 19



AIMS Construction









Activities Since Oct 2018



Site-Wide PFOS/PFOA Monitoring

- Semi-Annual sentry well monitoring completed in Nov 18
- December private well sampling completed
- March private well sampling being conducted this week
- Monthly municipal well sampling on-going

IRP Sites

- Proposed Plan for Site 39 (Bldg 227) released for public comment on 20 Feb 19;
 comments accepted until 30 Mar 19
- AF proposing additional bioremediation at Site 49 (2 International Drive)
- AF proposing remedial action completion with continued monitoring at Site 72 (Former Motor Pool)



Highlights (March - June 2019)



- Baseline Performance Monitoring Sampling for AIMS
- City breaks ground at Grafton Road Treatment Plant
- AIMS Operations Begin
- Draft Supplemental Site Investigation Report
- Performance Monitoring for Treatment Systems
- Monthly Municipal Well Sampling
- AIMS Tour and RAB Meeting June 12th (tentative)





Testing for Pease Non-Target Analysis Project Overview Andrea Amico


Pease Tradeport Water Treatment System Update



Pease Restoration Advisory Board March 7, 2019

Current Pease Tradeport Grafton Road Water Facility





Filter Demonstration Project



- Activated carbon in both of the demonstration filters was changed out in November 2018
- Will continue to filter water from Harrison and Smith Wells
- Will also continue to sample and monitor filter performance throughout construction

Non Target Analysis


- Testing for Pease proposed study to City Council at October 1, 2018 meeting
- Began collecting samples after Council agreed to participate

Current Rendering – Grafton Road Water Treatment Facility




- Five bids received in January 2019
- Kinsmen Corporation of Hookset, NH was low bidder and awarded project

Grafton Road Water Facility Process Schematic Current Treatment System Design



Anticipated Construction Schedule



Milestones:

- Spring 2019 Begin Construction
- June 2020 New GAC Filters (switchover of Harrison/Smith Wells)
- Spring 2021 Startup with Resin/GAC filters (Harrison/Smith Wells)
- Summer 2021 Haven Well Startup

Future Water Quality Monitoring of Haven Well and Pease Tradeport Aquifer

- Meeting in January 2019 with Air Force and regulators about developing a comprehensive water quality monitoring programs for:
 - Required Compliance Monitoring
 - Filter Performance Monitoring
 - Aquifer Monitoring

Thank You



Brian Goetz – Deputy Director of Public Works
City of Portsmouth, New Hampshire
bfgoetz@cityofportsmouth.com

Air Force Civil Engineer Center



Supplemental Site
Investigation Update


Former Pease AFB, NH TO 0008

Wood E&IS
Amy Quintin

7 March 2019



Pease PFOS/PFOA/PFBS Human Health Risk Screening



Where are PFOS/PFOA/PFBS coming from and going to?

How and where might people come into contact with PFOS/PFOA/PFBS?

How much is present at those locations?

Are the levels at those locations unsafe?



USEPA PFOS/PFOA/PFBS Screening Levels - Pease

Screening levels developed for use at Pease by USEPA for PFOS/PFOA/PFBS – November 2017. Results in parts per trillion (ppt)

	Į.	Adult	Child			
Receptor & Exposure Pathway	PFOS/PFOA	PFBS	PFOS/PFOA	PFBS		
Child Recreator (wading – sediment ingestion/dermal contact)		-	609,000	609,000,000		
Child Recreator (swimming – surface water ingestion)	-	-	2,030	2,030,000		
Adult Recreator (swimming – surface water ingestion)	18,300	18,300,000	-	-		
Fish Consumption (in fish tissue)	7,220	7,220,000	5,210	5,210,000		
Shellfish Consumption (in shellfish tissue)	6,780	6,780,000	5,590	5,590,000		
Composite Worker	1,640,000	1,640,000,000	-	-		



Exposure Assessment Fall 2018

Conclusions from Fall 2018:

- Soil, freshwater surface water and sediment are safe for current use based on comparison to screening levels
- Data gaps identified within freshwater/sediment dataset
- Concentrations of PFOS/PFOA/PFBS in shellfish were unknown
- Concentrations of PFOS/PFOA/PFBS in marine surface water/sediment were unknown



Exposure Assessment Fall 2018


Additional sampling was proposed to:


1) Fill freshwater sediment and surface water data gaps

2) Test concentrations of PFOS/PFOA/PFBS in shellfish, surface water, and sediment within Great Bay and Little Bay




Shellfish Tissue/SW/Sediment Sample Locations — Little Bay/ Great Bay








Shellfish Tissue/SW/Sediment Sample Location – Hampton Harbor








Shellfish Tissue Sample Collection Information

- Samples collected in November & December 2018
- One sample is made up of 10 individual shellfish per species
 - Three "replicate" samples were collected at each location when enough individuals were found
 - Some composite/replicate samples contained fewer than 10 individuals
- Clam samples were individuals greater than 2", oyster samples were individuals greater than 3"
- Mussels were also identified in all sample locations and were also collected



Shellfish Consumption Data Conclusions



PFOA and PFBS not detected in shellfish PFOS not detected in reference locations PFOS concentrations below USEPA riskbased consumption screening levels at four target locations with the exception of one clam field duplicate/replicate PFOS/PFOA/PFBS shellfish concentrations do not present unacceptable risks to consumers





Broad Cove (Mouth of Knights Brook)

401-30022 (Broad Cove - Mouth of	Sample Type	Clam	Mussel	Oyster	USEPA Screening Levels (Target HQ of 0.1)	PFOS (ppt)
Knights Brook)						(ppt)
11/29/2018	Replicate 1	836 J	657 U	587 U	Child Shellfish Consumption (in shellfish	5,590
11/29/2018	Replicate 2	748 J	623 U	325 J	· · · ·	3,330
11/29/2018	Replicate 3	2,540	653 U	617 U	tissue)	
11/29/2018	Replicate 4 (Clams > 3 ")	833 J	-	- 0	Adult Shellfish Consumption (in shellfish	6,780
11/29/2018	Duplicate/ Replicate	1,260	140	= :	tissue)	,
green indicates blue indicates Detection Limit (MD) Detected concentral PFOS screening value provided in the indicates indicates in the indicates indicates in the indicates	L) shown) tion below the		401-	30022-OY	401-30023-MU 401-30023-CL 401-30022-MU	



Tricky's Cove (Mouth of Pickering Brook)

USEPA Screening Levels (Target HQ of 0.1)	PFOS (ppt)		401-30023 (Tricky's Cove - Mouth of Pickering Brook)	Sample Type	Clam	Mussel	Oyster
Child Shellfish Consumption (in shellfish tissue)	5,590		11/29/2018, 11/30/2018 & 12/5/2018	Replicate 1	1,210 J	437 J	508 J
Adult Challfish Canaumantian (in aballfish	C 700		11/29/2018 & 12/5/2018	Replicate 2	1,190	19 4	396 J
Adult Shellfish Consumption (in shellfish	6,780	Sayo	12/5/2018	Replicate 3	1,820 J	V .≡	299 .
tissue)			12/5/2018	Replicate 4 (Clams > 3 ")	361 J	<u> </u>	-
			12/5/2018	Duplicate/ Replicate	7,570 J	V.5.	
401-30023-OY 401-30023-MU				green indicates	PFOS not detected (Method Detection Limit (MDL) shown		
401-30023-C				blue indicates	Detected co PFOS scree		oelow th
401-30022-OY 401-30022-CL 401-30022-MU					Detected concentration above the PFOS screening value		above th
	Pidwing Broot					Pisca Ri	aiaqu Ver



Herod's Cove (Mouth of Peverly Brook)

USEPA Screening Levels (Target HQ of 0.1)	PFOS (ppt)	401-30024 (Herod's Cove - Mouth of Peverly Brook)	Sample Type		Mussel	Oyster
Child Shellfish Consumption (in shellfish	5,590	11/28/2018	Replicate 1	E-0	595 U	426 J
	3,330	11/28/2018	Replicate 2	-	653 U	·=:
tissue)		11/28/2018	Replicate 3	-	657 U	-
Adult Challfish Consumption (in shallfish	6 790	11/28/2018	Duplicate	-	650 U	-
Adult Shellfish Consumption (in shellfish	6,780		green	PFOS not de	etected (Met mit (MDL) s	
tissue)			blue		ncentration	
			MA SHIPS III	PFOS scree		
401-30024-MU 401-30024-OY		Monthly Brook				
401-30026-MU						
	401-30025-MU 401-30025-CL 401-30025-OY				1	




Great Bay (Mouth of McIntyre Brook)

USEPA Screening Levels (Target HQ of 0.1)	PFOS (ppt)	401-30025 (Great Bay - Mouth of McIntyre Brook)	Sample Type	Clam	Mussel	Oyster
Child Shellfish Consumption (in shellfish	5,590	11/28/2018	Replicate 1	628 J	647 U	331 J
tissue)	3,330	11/28/2018 & 11/29/2018 11/28/2018	Replicate 2 Replicate 3	994	632 U 644 U	421 J 603 J
Adult Shellfish Consumption (in shellfish	6,780	11/28/2018	Duplicate/ Replicate	-	-	460 J
tissue)	0,700		green indicates	PFOS not de Detection Li		
			100,000,00	Detected co PFOS scree		below the
401-30024-MU 401-30024-OY		Molntyre Brook				
401-30026-MU <u></u>	1				1/1/2	1.
	401-30025-MU 401-30025-CL 401-30025-OY				1	



Co-located Estuarine Surface Water/Sediment Samples



All estuarine PFOS, PFOA, and PFBS concentrations colocated with shellfish samples were below USEPA recreational screening criteria

Estuarine surface water and sediment is safe for recreational use



Additional Freshwater Surface Water/Sediment Samples



Sample locations primarily selected to confirm nature and extent – fill data gaps
Surface water locations with potential access:

Great Bog – Displaced Population (drinking water)


Elementary School

Golf Course

Pickering Brook Swimming Location



Additional Freshwater Surface Water Samples



Eighteen additional freshwater samples were collected

All PFBS concentrations in freshwater surface water were below USEPA screening criteria

Concentrations of PFOS + PFOA exceeded the USEPA screening criteria (2,030 ppt) at a target HQ of 0.1 at four locations:

Flagstone Brook at crossing of Arboretum Drive (PFOS + PFOA = 3,560 ppt)

Pauls Brook at PAFB Boundary (PFOS + PFOA = 3,078 ppt)

Knights Brook, just downstream of Watering Spring and Pickering Spring (PFOS + PFOA = 2,330 ppt)

Watering Spring (PFOS + PFOA = 3,500 ppt)

Locations are shallow and not attractive/available to swimming

All similar to previous detected concentrations

Great Bog sample 5.9J ppt for PFOA only



Freshwater Surface Water Overview



All PFBS concentrations in freshwater surface water below USEPA screening criteria

Concentrations of PFOS + PFOA exceeded the USEPA screening criteria (2,030 ppt) at a target HQ of 0.1 at four locations:

Flagstone Brook

Pickering Brook (southern section only)

Pauls Brook at PAFB Boundary

Watering Spring

No concentrations are above 10 times the screening value (HQ 1.0)

Locations are typically shallow and not attractive to swimming – no evidence of swimming occurring

Freshwater surface water is safe for current recreational use



Additional Freshwater Sediment Samples



Eleven additional freshwater sediment samples were collected

All freshwater PFOS, PFOA, and PFBS concentrations in sediment were below USEPA screening criteria

Previous sediment sampling was also below USEPA screening criteria

Freshwater sediment is safe for recreational use



Updated Exposure Assessment Conclusions

Soil, freshwater surface water and sediment are safe for current use

Marine surface water/sediment are safe for current use

Concentrations of PFOS/PFOA/PFBS in shellfish are safe for consumption





Open Discussion Time



Opportunity for RAB members to discuss additional topics



Public Comment



Goal: Provide opportunity for members of the public to comment.

Process:

- Public members fill out a comment card if you wish to speak.
- 3 min limit per speaker.
- Speakers will be notified when they have 30 seconds remaining & at the 3 min mark.



RAB Meeting Recap.



- Meeting Recap
- Action Items
- Next Steps
- Next meeting June 12th (proposed)



Adjournment







