#### **Air Force Installation & Mission Support Center**



## Wurtsmith Restoration Advisory Board Meeting

Steven Willis
AFCEC/CIBC
16 November 2022



#### Classification



The classification of the brief is unclassified



#### Agenda



- Welcome, introductions, and ground rules
- Stakeholder and RAB member updates
- RAB business update
- RI update
- IRAs update
- New actions
- RAB member questions
- Public comment
- Conclusion RAB Co-Chairs' closing remarks



#### Restoration Advisory Board Rules



01	Respect one another and maintain an atmosphere of open dialogue and exchange of ideas
02	Use our time together efficiently, wisely and respectfully
03	Speak clearly and succinctly one person at a time; avoid interrupting others
04	Listen and remain open to different points of view
05	Maintain a propensity for progress: prepare, discuss, document and move forward
06	Share information early, openly and honestly
07	Accurately and objectively relay to others the discussions that occur at board meetings



#### Checklist for Virtual Participation



- ✓ If you prefer to join audio by phone, please dial the call in number and enter the access code to enter the meeting
  - Enter \*9 to raise and lower your hand
- ✓ RAB Members mute when not speaking and turn on your video camera if you are able
- ✓ Use "raise hand" to raise your hand
- ✓ To enable closed captions for language support, click "live transcript" then "show subtitle"
- ✓ Use Q&A tab for questions
- ✓ Contact the RAB Coordinator with access questions <a href="mailto:rabcoordinator@aerostar.net">rabcoordinator@aerostar.net</a>



#### Acronyms



AAA	Alert Aircraft Area
AFFF	aqueous film forming foam
CERCLA	Comprehensive Environmental
	Response, Compensation, and

**Liability Act** 

CSM conceptual site model
CTS Central Treatment System
ESI expanded site inspection

FS feasibility study FYR five-year review

GAC granular activated carbon

gpm gallons per minute
HPT hydraulic profiling tool
IRA interim remedial action
LTM long-term management

MPTS Mission Street Pump and Treat System

NTCRA non time-critical removal action

PA preliminary assessment

PP proposed plan

RAB restoration advisory board remedial action objective

RD/RA remedial design/remedial action

RI remedial investigation

ROD SI TCRA UFP-QAPP

**VAS** 

record of decision site inspection time-critical removal action Uniform Federal Policy-Quality Assurance Project Plan vertical aquifer sampling

Your Success is Our Mission!



#### Site Map







Your Success is Our Mission!





### Stakeholder Updates



#### Air Force Update



- Air Force hosted technical workshop 26 and 27 October 2022
  - Open to all stakeholders and the general public
  - Included tour of recently completed IRAs and two technical sessions
- Future IRAs requested by RAB: DRMO, Landfill-30/31,
   Wastewater Lagoon & Seepage Beds, and Three Pipes Ditch
- IRA implemented as interim measure, not final remedy
  - May be component of final remedy
- Complete RI, FS, PP, and ROD to select final remedy
- Harrisville Tank Farm




#### **DRMO**



- Addressing data gaps and evaluating site data
- Two small hot spots
- Current data indicates groundwater plume not impacting Van Etten Lake
- Current data does not warrant IRA








#### LF030/031



- Groundwater plume has relatively low concentrations
- Final remedy evaluated during feasibility study
- Does not warrant IRA






#### Wastewater Lagoon & Seepage Beds



- Area was visually evaluated by Air Force technical experts in Oct 2022
- RI data gaps must be filled
- IRA for seepage beds will be evaluated following additional data collection



Legend



#### Harrisville Tank Farm



- April 1961 DOD contracted with American Fuel Company for petroleum storage and terminal facilities to service Wurtsmith AFB.
  - Contract included DOD purchase option
- 1961 Detroit and Mackinaw Railway Company lays pipeline in AFB easement and American Fuel Company constructs terminal
- 1967 Lakeshore Terminal and Pipeline Company purchased terminal facilities from American Fuel Company



#### Harrisville Tank Farm



- 1977 DOD notified Lakeshore Terminal and Pipeline Company of intent to purchase
  - Lakeshore declined
  - DOD filed lawsuit
  - Court ruled in favor of Lakeshore
  - DOD appealed but later dismissed appeal
- USACE evaluated site for cleanup eligibility under Formerly Used Defense Site program
  - 1995 memo documents no DoD ownership, lease or control of the property so ineligible

Your Success is Our Mission!



#### Stakeholder Updates























### RAB Business



#### RAB Business



- Community Co-Chair election
- Action item review
- Action item list distributed to RAB prior to meeting
  - Closed action items since last RAB meeting: 75, 95, and 97
  - New action items since last RAB meeting: 101, 102, 103, and 104
  - Ongoing action items: 72, 87, 88, 92, 96, 98, 99, and 100





#### Presentation:




Remedial Investigation and Interim Remedial Action Update

Paula Bond Aerostar SES LLC Project Manager



#### **CERCLA Overview**







July 2021



#### PFAS RI Progress











#### PFAS IRAs Progress



#### FT002 at Clark's Marsh and Van Etten Lake at Ken Ratliff Memorial Park







#### PFAS RI Update



- No new RI data has been collected since the last RAB meeting
- The data collected in 2021 and 2022 were incorporated into the CSM and presented to the public on 27 October 2022
- Investigation will continue into next year and include areas east of Van Etten Lake attributable to former Wurtsmith AFB
- A SPP meeting scheduled between the Air Force and EGLE to review the RI data and develop the field investigation for 2023
- Data collected to date has not materially changed CSM
- The risk assessment begins when RI data collection is complete



#### FT002 at Clark's Marsh IRA Update



- FT002 initial system testing began on 8 August 2022
- System began continuous operation on 12 August 2022
- A public tour of the treatment system was conducted on 26 October 2022
- The system is now treating approximately 387 gpm or 557,280 gallons per day.





#### Van Etten Lake at Ken Ratliff Memorial Park IRA Update



- Initial system testing began on 3 October
- Treatment system began continuous operation on 17 October 2022
- The new system is treating approximately 490 gpm or 705,600 gallons per day.





#### **New Actions**



#### New IRA and Pilot Study

- Contract award: 28September 2022
- Period of performance: 3 years
- Primary Tasks
  - IRA at Alert Aircraft Area
  - Pilot Study at Three Pipes Ditch





#### New IRA Features



#### Purpose

- To hydraulically control the highest concentrations of PFOS/PFOA migrating towards Van Etten Lake using pump and treat with GAC
- Initial treatment train capacity of up to 500 gpm
- Building design will allow for the future addition of another 500 gpm treatment train
- Treated water returned to aquifer via infiltration trenches like FT002 at Clark's Marsh
  - Pending discussions with EGLE



#### Three Pipes Ditch Pilot Study



#### Purpose

- To evaluate effectiveness of organoclay to sorb PFAS in surface water and groundwater
- Conceptually the organoclay sorbent technology effectiveness will be evaluated in two approaches
  - Sorbent mats to evaluate PFAS removal in groundwater discharging to Three Pipes Ditch
  - A flow-through barrier to evaluate PFAS removal in a flowing surface water within the ditch



#### 1-Year Outlook








#### Five-Year Outlook





Your Success is Our Mission!



#### Health Resources



- Department of Veterans Affairs (VA)
  - https://www.va.gov/
- Agency for Toxic Substances and Disease Registry (ATSDR)
  - https://www.atsdr.cdc.gov/
- Michigan Department of Health and Human Services (MDHHS)
  - https://www.michigan.gov/mdhhs





# RAB Member Questions





## Public Comments



#### **Public Comment Period**



#### **Guidelines**

- 01 Indicate you want to make a comment (follow guidance)
- *O2* Wait until the facilitator states you can start your comment
- 03 Three minute time limit
- RAB members will confer after your comment to see if a follow-up action is needed





# Conclusion and Adjournment



Your Success is Our Mission!